

# FourSure® 66

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



# FourSure® 66

Design by Strand + Hvass

## Product options

### VARIATIONS

- Polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

### OPTIONAL

- Loop armrest
- Extra height gas lift including footring (585-845mm)
- Hard castors with breaks
- GS Certification

### ACCESSORIES

- Inno®Tab
- Hook

### UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.

### SHELL COLOUR

 Ebony Black NCS S 9000-N	 Snow RAL 9010
 Anthracite RAL 7015	 Beach NCS S 2502-Y
 Pine NCS S 5005-B80G	 Olive NCS S 2040-G80Y
 Moss NCS S 5010-G70Y	 Orange NCS S 2070-Y70R
 Terracotta NCS S 4510-Y60R	 Oriental Red NCS S 1580-R
 Clay NCS S 6005-Y10R	 Jungle green NCS 4050-G40Y
 Aqua NCS S 4020-B	

### BASE



Black Polymid  
Base



Black/Polished  
Aluminium Base



Introducing the FourSure® 66, an exceptional office swivel chair that brings a new level of comfort and adaptability to your workspace. Its elegant design and robust construction make it a perfect fit for collaborative working platforms. Whether in educational facilities, conference centers, or office settings, this chair stands out. Plus, when paired with Inno®Tab, you can effortlessly switch from lecture-mode to a collaborative setup in seconds. Say hello to simplified group work with this unique swivel chair.

## Technical specifications

### WEIGHT

Polypropylene shell, with gas:  
7,5 kg

Seat pad, with gas:  
8 kg

Inside upholstery, with gas:  
8,4 kg

Fully upholstery, with gas:  
7,8kg

Polypropylene shell, with gas  
and loop armrest:  
8,7 kg

### TEST

EN 16139:2013 - L1  
AfPS GS 2019: 01 PAK

## Materials

### SHELL

Polypropylene with reinforced glass fibre (Skin: 15%, core: 40%), recyclable.

### FOAM & GLUE

CMHR-65H Foam and Glue (SABA Activator 3739, Aquabond RSD 3801 blue).

### FOAM THICKNESS

Seat upholstery: 15 mm.  
Inside upholstery: 15 mm.  
Fully upholstery: 20/10/5 mm.

### BASE

Base: PA (Nylon) and 30% Glass Fibre or painted aluminium and polished aluminium.  
Gaslift standard:  
St. 37, 410mm-585mm

### UPHOLSTERY PROTECTION

ABS

### CASTORS, STANDARD

Soft castors, free wheeling: Ø50 mm, PA (Nylon) Type 6 and PUR. Black (RAL 9005) and grey (RAL 7022).

### CASTORS, OPTIONAL


Hard castors with unloaded brakes: Ø50 mm, PA (Nylon) Type 6 and PUR. Black (RAL 9005) and grey (RAL 7022).  
*Hard castors will be locked when not in use.*

## Dimensions


FourSure® 66  
Polypropylene shell w. gas




FourSure® 66  
Seat pad w. gas



FourSure® 66  
Inside upholstery w. gas




FourSure® 66  
Fully upholstery w. gas




# Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.


## FOURSURE 66 PP SHELL




## FOURSURE 66 PP SHELL SEAT PAD



## FOURSURE 66 PP SHELL INNER UPHOLSTERED



## FOURSURE 66 PP SHELL FULLY UPHOLSTERED



### 📊 CARBON FOOTPRINT

The carbon footprint (CO<sub>2</sub>e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology.

### 📄 DISCLAIMER

Please note: These calculations use MÅLBAR's tool and depend on available input data. Where data is missing, conservative estimates are applied. For our full disclaimer, [click here](#) ↗

## Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

### COMPANY CERTIFICATIONS

ISO 9001  
ISO 14001  
Forest Stewardship Council® (FSC®) Chain of Custody (License Code: FSC-C161956)  
FISP Full Membership

### WARRANTY

We stand behind the quality and durability of our products. That's why we are

pleased to offer a warranty of 5, 10, or 25 years, depending on the specific product.

These warranty's cover breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

For full details on the warranty period applicable to your product, along with terms and conditions, please

refer to our extended [Warranty brochure](#) ↗

### INSTRUCTIONS

Assembly instructions can be found at our website.

### MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

### DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a

paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled. Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

### TAKE BACK SCHEME

Extend the life of your furniture! If you're in the UK, explore our [Take Back Scheme](#) ↗ to dispose of your used items in a sustainable way.