

# FourSure<sup>®</sup> 11

Design by Strand + Hvass

FACT SHEET / TECHNICAL & ENVIRONMENTAL SPECIFICATION



# FourSure® 11

Design by Strand + Hvass

## Product options

### VARIATIONS

- Polypropylene shell
- Seat pad
- Inside upholstery
- Fully upholstered

Polymide glides as standard

### OPTIONAL

- Felt glides
- Teflon glides
- Noise reducing glides
- Return mechanism

### ACCESSORIES

- Loose seat pad

### UPHOLSTERY

Can be upholstered in a broad range of upholstery fabrics, from our upholstery collection. Please visit our price list for further information.



### SHELL COLOUR

- Ebony Black  
NCS S 9000-N
- Anthracite  
RAL 7015
- Aqua  
NCS S 4020-B
- Beach  
NCS S 2502-Y

### FRAME COLOUR

- Mat Black  
RAL 7021
- Stone Grey  
RAL 7039
- Aqua  
S4020-B IGP 581 TA  
52240 A 00
- Chrome
- Mat White  
RAL 9010

### FRAME COLOUR

- Mat Black  
RAL 7021
- Stone Grey  
RAL 7039
- Mat white  
RAL 9010
- Chrome

Elevate your conference room with the FourSure® 11, a four-legged office chair that combines form and functionality. Its sleek design and customizable features make it the perfect companion for meetings, presentations, and collaborative sessions.

## Technical specifications

### WEIGHT

Polypropylene shell:  
6,7 kg

Seat pad:  
7,1 kg

Inside upholstery:  
7,5 kg

Fully upholstered:  
7 kg

Polypropylene shell with loop  
armrests:  
7,8 kg

### TEST

EN 1335-2/3/4:2019  
-pt 7.3.3

EN 1022:2005-L2  
EN 16139:2013-L1  
EN 1021-1:2006

Indoor air quality: ANSI/  
BIFMA e.3-2019 (Credit 7.6.1,  
7.6.2, 7.6.3)

### WARRANTY

10-year extended warranty.

[Discover more about  
our extended warranty ↗](#)



## Materials

### SHELL

Fiberglass-reinforced  
polypropylene (Coating: 15%,  
Core: 40%), recyclable.

### SHELL UPHOLSTERY

Beech wood veneer, 9-11  
layers (12 mm)  
Veneer adhesive: Gasco 1272

### FOAM & GLUE

CMHR-65H foam and adhe-  
sive (SABA Activator 3739,  
Aquabond RSD 3801 blue).

### FOAM THICKNESS

Seat upholstery: 15 mm  
Inner upholstery: 15 mm  
Fully upholstered: 20/10/5  
mm

### FRAME, STEEL

Tube: Ø20 X 2 mm, Docol 500  
Glides (standard): PA  
Lock: ABS /PA6

### CASTORS, SOFT


Ø50 mm, PA (Nylon) Type 6  
and PUR

Black (RAL 9005) and Gray  
(RAL 7022)  
neck dia. 22mm.


*For safety reasons, the  
chair's soft castors will be  
locked when not in use.*

## Dimensions


FourSure® 11  
Polypropylene shell




FourSure® 11  
Seat pad




FourSure® 11, polypropylene  
shell with armrests



FourSure® 11, polypropylene  
shell with loop armrests



FourSure® 11  
Polypropylene shell  
with castors



## Environmental data

Product environmental data can assist you in meeting the requirements for LEED, BREEAM, WELL, and SKA building certifications.

### FOURSURE 11 PP SHELL



#### RECYCLED CONTENT




#### RECYCLABILITY



#### CARBON FOOTPRINT

**61**  
Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



### FOURSURE 11 PP SHELL SEAT PAD



#### RECYCLED CONTENT




#### RECYCLABILITY



#### CARBON FOOTPRINT

**66**  
Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



### FOURSURE 11 PP SHELL INNER UPHOLSTERED



#### RECYCLED CONTENT




#### RECYCLABILITY



#### CARBON FOOTPRINT

**68**  
Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



### FOURSURE 11 PP SHELL FULLY UPHOLSTERED



#### RECYCLED CONTENT




#### RECYCLABILITY



#### CARBON FOOTPRINT

**71**  
Kg CO<sub>2</sub>e per unit

#### MATERIAL BREAKDOWN



#### CARBON FOOTPRINT

The carbon footprint (CO<sub>2</sub>e) covers the full product life cycle, cradle-to-grave. Calculations follow the Product Environmental Footprint (PEF) methodology.



#### DISCLAIMER

Please note: These calculations use MÅLBAR's tool and depend on available input data. Where data is missing, conservative estimates are applied. For our full disclaimer, [click here](#)

## Quality and environment

At Ocee & Four Design, we care about sustainability. We strive to reduce our impact by producing quality furniture in a sustainable manner. Find out more about our journey on [Oceeandfour.com](https://oceeandfour.com) ↗

### COMPANY CERTIFICATIONS

ISO 9001  
ISO 14001  
FSC Chain of Custody  
(License Code: FSC-C161956)  
FISP Full Membership

### WARRANTY

Ocee & Four Design provides a 5-year warranty on all

products within our price list. This warranty covers breakage and damage of products occurring because of deficient craftsmanship performance under normal use. The warranty shall lapse if the product shows signs of mishandling abuse or other physical damage. The warranty does not cover those parts of the product which are exposed to abrasion during use.

### INSTRUCTIONS

Assembly instructions can be found at our website.

### MAINTENANCE

Refer to our [Maintenance Guide](#) ↗

### DISASSEMBLY & RECYCLING

Products should be disassembled and separated into their components and materials before recycling. Most products can be disassembled using hand tools. Metal parts are commonly recycled. Powder coated frames are treated with a paint classified as not dangerous according to directive 1999/45/EF. Wood can either be recycled or incinerated. Plastic shells can be recycled.

Upholstery and veneer shells are not recyclable but can be disposed of through incineration. Processes for recycling vary so check with your waste management organisation.

### TAKE BACK SCHEME

Extend the life of your furniture! If you're in the UK, explore our [Take Back Scheme](#) ↗ to dispose of your used items in a sustainable way.